

FW

KLIMA LAW OFFICES, P.L.L.C.

A PROFESSIONAL LIMITED LIABILITY COMPANY

Patent, Trademark & Copyright Law

2046-C JEFFERSON DAVIS HIGHWAY

STAFFORD, VA 22554

PHONE: (540) 657-9344

FAX: (540) 657-9343

e-mail: commcenter@acupat.com

AFFILIATION

ACUPAT L.L.C.
STAFFORD, VA

WILLIAM L. KLIMA *

WALTER F. KLIMA, JR., Ph.D., Chemistry
Technical Consultant

* ADMITTED IN PENNSYLVANIA ONLY.



March 7, 2005

Assistant Commissioner for Patents
P. O. Box 1450
Alexandria, VA 22313-1450

Via Facsimile
(703) 872-9306

Re: U.S. Utility Patent Application
Appl. No.: 10/808,456; Filed: March 25, 2004
For: **BRAILLE TYPE DEVICE, SYSTEM, AND METHOD**
Inventors: John B. McAdams
Our Ref: 315-101P-WLK

Sir:

The following documents are forwarded herewith for appropriate action by the U.S. Patent and Trademark Office (PTO):


1. Amendment and Response

The Commissioner is hereby authorized to charge any fees under 37 C.F.R. §1.16 and §1.17(a)-(g) which may be required during the entire pendency of the application to Deposit Account No. 11-1243. If extensions of time under 37 C.F.R. §1.136 are required to prevent abandonment of the present patent application, then such extensions of time are hereby petitioned, and any fees therefore are hereby authorized to be charged to our Deposit Account No. 11-1243. A duplicate copy of this letter is enclosed.

Respectfully submitted,

William L. Klima
Attorney for Applicants
Registration No. 32,422

Enclosures
WLK:cac



UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:

John B. McAdams

Art Unit: 3714

Appl. No.: 10/808,456

Examiner: SUHOL, DMITRY

Filed: March 25, 2004

Atty. Docket: 315-101P-WLK

For: **BRAILLE TYPE DEVICE,
SYSTEM, AND METHOD**

AMENDMENT AND RESPONSE

Assistant Commissioner for Patents
P. O. Box 1450
Alexandria, VA 22313-1450

Sir:

In response to the Office Action dated January 10, 2005, the due date being April 10, 2005, the following amendments and remarks are respectfully submitted in connection with the above-identified application.